Eurolift
ASCENSEURS

SweetLIFT home lift

SweetLIFT, the lift for your home

225 to 400 kg | 100 mm pit | 2,500 mm top floor | Single-phase 230 V



A home lift designed in France by Sodimas for houses and villas: it fits without major works, with a 10 cm pit, and can be fully customised.

France and international

SODIMAS® ascenseurs

euro-lift.fr

SWEETLIFT HOME LIFT

SweetLIFT, the lift for your home

With 50 years of experience, Sodimas designed SweetLIFT for private homes. The lift fits in an aluminium structure or a concrete shaft, inside or outside the house, and connects to a simple single-phase supply. Car, doors, structure and buttons are chosen to match your interior.

Key strengths

Almost no building work

Only a 100 mm pit and a 2,500 mm top floor: the lift fits without digging or altering the roof.

Comfort and silence

Permanent-magnet gearless machine at the top of the shaft and belt drive: smooth rides, accurate stops, silent operation.

Simple connection

Single-phase 230 V, 50 Hz, 16 A supply: no three-phase needed in the house.

Accessible

Car and automatic doors sized for a wheelchair, in line with accessibility requirements.

Safety

In a power cut the car automatically goes to the nearest floor and opens its doors. QI Touch controller, optional Pilote remote monitoring.

Fully customisable

Wood laminates, stainless steel, glass, structure colour, ceiling, floor, handrail, doors and buttons: there is no standard car.





SWEETLIFT HOME LIFT

Specifications


Load	225 to 400 kg, 3 to 6 persons
Speed	0.15 m/s in the European Union; 0.40 m/s outside the EU; automatic 0.40 m/s when the car is empty
Travel	1.5 to 15 m
Pit	100 mm minimum (500 mm maximum)
Top-floor headroom	2,500 mm minimum
Machine	Gearless at the top of the shaft, 1:1 belt of 31 polyurethane-coated steel cords
Power and supply	1.3 kW, single phase 220-230 V (7.6 A max)
Doors	Swing (opening 600 to 900 mm), automatic SD20 (700 to 900 mm) or Salon (650 to 900 mm)
Access	Single, through or adjacent (90°)
Shaft	Sodimas aluminium structure, colour of your choice, or concrete shaft; inside or outside the building
Control	QI Touch controller, touch screen in the car, 60 starts per hour
Rescue	Automatic return to the nearest floor on UPS
Regulation	Machinery Directive 2006/42/EC

Sodimas manufacturer data. Photos non-binding. For any other load, speed or dimension, please contact us.

Your project dimensions

The car can reach 1,100 × 1,400 mm. In a concrete shaft with single access and a swing door, the clear inside space starts at about 1,070 × 1,305 mm. Send us a plan or a few photos of the location: we will propose the right configuration.

In pictures



Glazed structure



Touch screen in the car



Aluminium structure, colour of your choice



100 mm pit, 2,500 mm top floor

Which buildings

- Private houses
- Villas
- Multi-level homes
- Prestige residences
- People with reduced mobility
- Renovation of existing houses

Contact

France, French-speaking countries and Europe

WhatsApp +33 7 71 59 46 00

English- and Arabic-speaking countries · Dubai

WhatsApp +971 54 386 1511

contact@euro-lift.fr · **euro-lift.fr**