Eurolift
ASCENSEURS

Mégalift goods lift

Mégalift, the bespoke goods lift

Up to 6 tonnes | Electric or hydraulic | Travel up to 40 m | Factory pre-assembled



For heavy loads and large volumes: a range of goods lifts designed like a machine tool, electric or hydraulic.

France and international

SODIMAS® ascenseurs

euro-lift.fr

MÉGALIFT GOODS LIFT

Mégalift, the bespoke goods lift

Mégalift serves industrial buildings, warehouses, shopping centres, schools, healthcare, showrooms and prestige buildings: wherever size or load requires a large lift. Each lift is defined according to flows, work cycles, loading method and environment (cold, humid, dusty, food industry).

Key strengths

Bespoke

Load, dimensions, handling equipment and finishes are defined for your use.

Robust and simple

Fully bolted folded sheet metal, very little welding: the same design up to 5 tonnes.

Factory pre-assembly

Every lift is pre-assembled at Sodimas before shipping: fewer surprises on site.

Electric or hydraulic

Electric traction for long travel and heavy traffic; hydraulic for heavy loads over short travel.

Forklift loading

Mechanical locking pawls at each floor, or a safety device when the load/area ratio exceeds table 7 of EN 81-20.

Re-levelling

Automatic return to the lowest floor and re-levelling during loading.





MÉGALIFT GOODS LIFT

Specifications

Electric with top machine room (4:1, ER6D machine)	Up to 5,000 kg · ≤ 1 m/s · 40 m travel · 12 floors · car area up to 9 m²
Electric machine-room-less (MRL 4:1, ER6D)	Up to 4,850 kg · ≤ 1 m/s · 40 m travel · 12 floors · car area up to 8.6 m²
Direct hydraulic (2VLD)	Up to 6,000 kg · ≤ 0.8 m/s · 6 m travel · 5 floors
Roped hydraulic (2VLM)	Up to 6,000 kg · ≤ 0.8 m/s · 25 m travel · 12 floors · car area up to 10.5 m²
Car	Width 1,500 to 2,700 mm, depth up to 5,000 mm, height 2,000 to 3,000 mm
Doors	Automatic 2, 3, 4 or 6 panels; clear opening 1,500 to 2,700 mm, height 2,000 to 3,000 mm
Minimum pit	1,250 mm
Headroom	Car height + 1,250 to 1,600 mm depending on drive
Access	Single or through / opposite

Sodimas manufacturer data. Photos non-binding. For any other load, speed or dimension, please contact us.

What we need to study your project

The load to carry, load dimensions, loading method (forklift, pallet truck, manual), number of floors, travel and frequency of use.

In pictures



Gearless machine



Hydraulic power unit



Multi-panel doors



Loading roll cages and trolleys

Which buildings

- Industry and workshops
- Logistics and warehouses
- Shopping centres
- Hospitals and laboratories
- Schools and cultural buildings
- Showrooms

Contact

France, French-speaking countries and Europe

WhatsApp +33 7 71 59 46 00

English- and Arabic-speaking countries · Dubai

WhatsApp +971 54 386 1511

contact@euro-lift.fr · **euro-lift.fr**